

REFERENCED WEIGHT LISTS

参考重量表
Referenced Weight Lists

承插焊90°弯头和45°弯头
SW 90° Elbow & 45° Elbow

kg

公称尺寸 Nominal Size		承插焊90°弯头 SW 90° Elbow			承插焊45°弯头 SW 45° Elbow		
DN	NPS	3000	6000	9000	3000	6000	9000
6	1/8	0.09	0.15	-	0.08	0.16	-
8	1/4	0.09	0.15	-	0.08	0.16	-
10	3/8	0.12	0.32	-	0.12	0.28	-
15	1/2	0.26	0.40	0.85	0.22	0.30	0.78
20	3/4	0.35	0.65	1.48	0.28	0.72	1.25
25	1	0.52	1.25	2.20	0.55	0.90	1.85
32	1 1/4	0.85	1.40	2.90	0.71	1.15	2.62
40	1 1/2	1.05	2.35	3.50	0.89	1.90	3.45
50	2	1.75	2.96	4.35	1.30	2.95	5.80
65	2 1/2	2.80	-	-	2.68	-	-
80	3	4.60	-	-	4.90	-	-
100	4	9.60	-	-	8.80	-	-

承插焊三通和四通
SW Tee & Cross

kg

公称尺寸 Nominal Size		承插焊三通 SW Tee			承插焊四通 SW Cross		
DN	NPS	3000	6000	9000	3000	6000	9000
6	1/8	0.13	0.22	-	0.15	0.21	-
8	1/4	0.13	0.22	-	0.15	0.25	-
10	3/8	0.16	0.45	-	0.19	0.54	-
15	1/2	0.35	0.55	1.15	0.46	0.64	1.32
20	3/4	0.48	0.90	1.80	0.59	1.09	2.25
25	1	0.66	1.46	2.25	0.81	1.97	2.69
32	1 1/4	1.00	1.90	3.95	1.19	2.34	4.68
40	1 1/2	1.40	2.80	4.87	1.67	3.90	7.84
50	2	2.00	3.70	8.89	2.59	6.15	10.5
65	2 1/2	4.10	-	-	4.95	-	-
80	3	5.55	-	-	7.25	-	-
100	4	15.6	-	-	18.8	-	-

承插焊管箍和管帽
SW Coupling & Cap

kg

公称尺寸 Nominal Size		承插焊管箍 SW Coupling			承插焊管帽 SW Cap		
DN	NPS	3000	6000	9000	3000	6000	9000
6	1/8	0.05	0.06	-	0.03	0.04	-
8	1/4	0.06	0.07	-	0.04	0.05	-
10	3/8	0.08	0.10	-	0.05	0.07	-
15	1/2	0.13	0.16	0.29	0.08	0.13	0.23
20	3/4	0.20	0.28	0.47	0.15	0.22	0.35
25	1	0.28	0.48	0.68	0.22	0.34	0.52
32	1 1/4	0.48	0.65	1.08	0.35	0.47	0.71
40	1 1/2	0.52	0.94	1.12	0.42	0.63	0.95
50	2	0.95	1.65	1.95	0.72	1.14	1.55
65	2 1/2	1.52	-	-	1.25	-	-
80	3	1.75	-	-	2.05	-	-
100	4	2.80	-	-	3.28	-	-

www.judd.com.cn E-mail:sales@judd.com.cn

REFERENCED WEIGHT LISTS

参考重量表
Referenced Weight Lists

螺纹90°弯头和45°弯头
THR90° Elbow & 45° Elbow

kg

公称尺寸 Nominal Size		螺纹90°弯头 THR90° Elbow			螺纹45°弯头 THR45° Elbow		
DN	NPS	2000	3000	6000	2000	3000	6000
6	1/8	0.08	0.10	0.18	0.08	0.08	0.14
8	1/4	0.08	0.15	0.33	0.08	0.12	0.27
10	3/8	0.13	0.30	0.48	0.11	0.26	0.49
15	1/2	0.22	0.45	0.72	0.23	0.42	0.69
20	3/4	0.32	0.70	1.29	0.29	0.59	1.12
25	1	0.50	1.21	1.65	0.43	0.96	1.47
32	1 1/4	0.80	1.47	2.70	0.67	1.15	2.65
40	1 1/2	0.93	2.60	3.90	0.82	2.02	3.60
50	2	1.60	3.05	6.05	1.32	2.50	4.60
65	2 1/2	2.95	5.80	9.88	3.30	3.81	7.81
80	3	5.60	8.85	16.4	5.40	6.30	13.1
100	4	10.5	14.9	23.5	9.00	9.80	17.0

螺纹三通和四通

THR Tee & Cross

kg

公称尺寸 Nominal Size		螺纹三通 THR Tee			螺纹四通 THR Cross		
DN	NPS	2000	3000	6000	2000	3000	6000
6	1/8	0.13	0.22	0.35	0.16	0.26	0.42
8	1/4	0.13	0.22	0.57	0.16	0.26	0.68
10	3/8	0.16	0.40	0.66	0.20	0.48	0.79
15	1/2	0.35	0.58	1.15	0.42	0.70	1.38
20	3/4	0.45	0.90	1.80	0.54	1.08	2.16
25	1	0.66	1.46	2.25	0.79	1.75	2.70
32	1 1/4	1.00	1.90	3.95	1.20	2.28	4.74
40	1 1/2	1.40	3.40	4.87	1.68	4.08	5.85
50	2	2.20	3.80	8.89	2.64	4.66	10.7
65	2 1/2	4.20	7.20	12.8	5.05	8.64	15.4
80	3	6.15	10.7	21.6	7.38	12.8	26.5
100	4	14.7	17.9	29.5	17.6	21.5	35.4

螺纹双接口管箍和管帽

THR Coupling & Cap

kg

公称尺寸 Nominal Size		螺纹双接口管箍 THR Coupling		螺纹管帽 THR Cap	
DN	NPS	3000	6000	3000	6000
6	1/8	0.06	0.09	0.03	-
8	1/4	0.08	0.13	0.05	0.11
10	3/8	0.11	0.24	0.07	0.17
15	1/2	0.22	0.40	0.14	0.29
20	3/4	0.30	0.52	0.24	0.42
25	1	0.55	1.06	0.41	0.76
32	1 1/4	0.86	1.32	0.71	0.96
40	1 1/2	1.26	2.20	0.88	1.42
50	2	1.65	3.37	1.25	2.24
65	2 1/2	3.00	4.81	2.29	3.80
80	3	4.25	7.25	3.29	5.43
100	4	7.80	12.0	5.65	9.26

REFERENCED WEIGHT LISTS

参考重量表
Referenced Weight Lists

活接头和六角头双丝头
Union & Hexagonal Nipple

kg

公称尺寸 Nominal Size		活接头 Union	六角头双丝头 Hexagonal Nipple	
DN	NPS	3000	Sch80	Sch160
6	1/8	0.25	0.02	0.02
8	1/4	0.30	0.03	0.04
10	3/8	0.35	0.05	0.06
15	1/2	0.46	0.10	0.12
20	3/4	0.61	0.13	0.17
25	1	0.85	0.22	0.29
32	1 1/4	1.35	0.34	0.41
40	1 1/2	1.92	0.47	0.58
50	2	2.85	0.69	0.91
65	2 1/2	4.90	1.35	1.69
80	3	7.10	2.03	2.55

管塞
Head Plug

kg

公称尺寸 Nominal Size		方头管塞 Square Head Plug	六角头管塞 Hex Head Plug	圆头管塞 Round Head Plug
DN	NPS			
6	1/8	0.01	0.02	0.02
8	1/4	0.02	0.03	0.05
10	3/8	0.03	0.05	0.08
15	1/2	0.06	0.08	0.12
20	3/4	0.10	0.14	0.20
25	1	0.18	0.25	0.34
32	1 1/4	0.30	0.49	0.59
40	1 1/2	0.41	0.65	0.73
50	2	0.67	1.16	1.44
65	2 1/2	1.11	1.83	2.36
80	3	1.69	2.92	3.50
100	4	3.48	5.50	6.08

螺纹接头
Hex Head Bushing & Flush Bushing

kg

公称尺寸 Nominal Size		六角头内外螺纹接头 Hex Head Bushing	无头内外螺纹接头 Flush Bushing
DN	NPS		
8	1/4	0.01	0.01
10	3/8	0.02	0.01
15	1/2	0.03	0.02
20	3/4	0.04	0.02
25	1	0.07	0.04
32	1 1/4	0.12	0.05
40	1 1/2	0.14	0.06
50	2	0.22	0.09
65	2 1/2	0.36	0.17
80	3	0.46	0.22
100	4	0.78	0.33

E-mail:sales@judd.com.cn

www.judd.com.cn

REFERENCED WEIGHT LISTS

参考重量表
Referenced Weight Lists

支管座
Outlet

kg

支管公称尺寸 Branch Nominal Size		对焊支管座 BW Outlet			承插焊支管座 SW Outlet		螺纹支管座 THRD Outlet	
DN	NPS	STD	XS	Sch160	3000	6000	3000	6000
6	1/8	0.04	0.05	-	0.05	-	0.05	-
8	1/4	0.04	0.05	-	0.05	-	0.05	-
10	3/8	0.06	0.07	-	0.09	-	0.09	-
15	1/2	0.11	0.13	0.18	0.16	0.35	0.17	0.32
20	3/4	0.16	0.18	0.20	0.20	0.47	0.22	0.47
25	1	0.32	0.34	0.40	0.42	0.68	0.43	0.65
32	1 1/4	0.38	0.42	0.50	0.59	1.10	0.61	0.96
40	1 1/2	0.57	0.60	0.70	0.70	1.30	0.69	1.28
50	2	0.85	0.90	1.10	1.10	2.45	1.10	2.15
65	2 1/2	1.28	1.35	2.00	1.40	-	1.52	-
80	3	1.88	2.00	3.20	2.30	-	2.50	-
90	3 1/2	2.20	2.40	-	-	-	-	-
100	4	2.80	3.20	6.00	4.20	-	4.10	-
125	5	5.70	6.80	9.80	-	-	-	-
150	6	7.20	11.0	16.0	-	-	-	-
200	8	10.8	19.2	31.0	-	-	-	-
250	10	17.0	19.5	-	-	-	-	-
300	12	25.6	29.6	-	-	-	-	-
350	14	27.0	32.0	-	-	-	-	-
400	16	36.0	41.7	-	-	-	-	-
450	18	48.2	55.8	-	-	-	-	-
500	20	58.5	76.0	-	-	-	-	-
600	24	149	152	-	-	-	-	-

斜支管座/弯头支管座
Latrolet & Elbolet

kg

支管公称尺寸 Branch Nominal Size		对焊斜支管座和弯头支管座 BW Latrolet & BW Elbolet			承插焊、螺纹斜支管座和弯头支管座 SW/THRD Latrolet & Elbolet		
DN	NPS	STD	XS	Sch160	3000	6000	
15	1/2	0.25	0.28	0.38	0.32	0.48	
20	3/4	0.40	0.42	0.61	0.54	0.81	
25	1	0.73	0.77	1.10	0.93	1.20	
32	1 1/4	1.10	1.15	1.41	1.32	2.23	
40	1 1/2	1.47	1.60	2.35	1.59	3.12	
50	2	2.50	2.60	3.35	3.06	4.95	
65	2 1/2	3.20	3.40	3.70	-	-	
80	3	6.05	6.35	7.20	-	-	
100	4	10.5	11.8	13.6	-	-	
150	6	23.6	33.5	38.0	-	-	
200	8	32.9	50.3	-	-	-	
250	10	58.5	76.5	-	-	-	
300	12	86.0	112	-	-	-	